

Artikel	Nenn- Ø	Höhe	Filter m ²	Filter media	Falten- zahl	F-Tiefe mm	Deckel + Boden	Stützkorb	ersetzt
LP 01 D60S2N	327	600	7,8	2509-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S10S4G	327	1000	13	2508-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S10S4N	327	1000	12,96	2509-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S12S5G	327	1200	15,6	2508-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S12S5N	327	1200	15,552	2509-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S15S7N	327	1500	19,4	2509-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S15S7NGG	327	1500	19,4	2509-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S60S0N	327	600	7,8	2509-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S60S2G	327	600	7,8	2508-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S60S2N	327	600	7,776	2508-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S66S2G	327	660	8,6	2508-01	135	48	Stahl, galv.	Stahl, galv.	
LP 01 S66S2N	327	660	8,5536	2509-01	135	48	Stahl, galv.	Stahl, galv.	
LP 02 D30S0N	327	300	5	2509-01	175	48	2x Stahl verz.	Stahl, galv.	LP07 D30S1N
LP 02 D60S0N	327	600	10	2509-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 D60S2N	327	600	10	2509-01	175	48	Stahl, galv.	Stahl, galv.	LP07 D60S2N
LP 02 D66S2G	327	660	11	2508-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 D66S2N	327	660	11	2509-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 S10S4G	327	1000	16,8	2508-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 S10S4N	327	1000	16,8	2509-01	175	48	Stahl, galv.	Stahl, galv.	LP07 S10S4N
LP 02 S12S0G	327	1200	20	2508-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 S12S0N	327	1200	20	2509-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 S12S5N	327	1200	20	2509-01	175	48	Stahl, galv.	Stahl, galv.	LP07 S12S5N
LP 02 S30S0N	327	300	5	2509-01	175	48	Stahl, galv.	Stahl, galv.	LP17 S30S1N
LP 02 S60S0G	327	600	10	2509-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 S60S0N	327	600	10	2509-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 S60S2G	327	600	10	2508-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 S60S2N	327	600	10	2509-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 S66S2G	327	660	11	2509-01	175	48	Stahl, galv.	Stahl, galv.	
LP 02 S66S2N	327	660	11	2509-01	175	48	Stahl, galv.	Stahl, galv.	LP07 S66S2N
LP 02 S76S2N	327	765	12,7	2509-01	175	48	Stahl, galv.	Stahl, galv.	Plymovent
LP 4 S60S2N	327	600	5	2504	87	48	Stahl, galv.	Stahl, galv.	
LP 7 S60S2N	327	600	10	2504	175	48	Stahl, galv.	Stahl, galv.	
LP 11 S10S4G	327	1000	13	2519-01	135	48	Stahl, galv.	Stahl, galv.	
LP 11 S12S0G	327	1200	15,6	2519-01	135	48	Stahl, galv.	Stahl, galv.	
LP 11 S12S5N	327	1200	15,6	2520	135	48	Stahl, galv.	Stahl, galv.	
LP 12 S10S4N	327	1000	16,8	2520	175	48	Stahl, galv.	Stahl, galv.	
LP 12 S60S0G	327	600	10	2519-01	175	48	Stahl, galv.	Stahl, galv.	
LP 12 S60S0N	327	600	10	2520	175	48	Stahl, galv.	Stahl, galv.	
LP 14 S12S5N	327	1200	10	2502	87	48	Stahl, galv.	Stahl, galv.	
LP 14 S60S2N	327	600	5,0112	2502	87	48	Stahl, galv.	Stahl, galv.	
LP 17 S12S0C	327	1200	20	2521-01	175	48	Stahl, galv.	Stahl, galv.	
LP 17 S12S0G	327	1200	20	2501-01	175	48	Stahl, galv.	Stahl, galv.	
LP 17 S12S0N	327	1200	20	2502	175	48	Stahl, galv.	Stahl, galv.	
LP 17 S12S5N	327	1200	20	2502	175	48	Stahl, galv.	Stahl, galv.	
LP 17 S60S0C	327	600	10	2521-01	175	48	Stahl, galv.	Stahl, galv.	
LP 17 S60S0N	327	600	10	2502	175	48	Stahl, galv.	Stahl, galv.	
LP 17 S60S2N	327	600	10	2502	175	48	Stahl, galv.	Stahl, galv.	
LP 17 S60S2G	327	600	10	2501-01	175	48	Stahl, galv.	Stahl, galv.	
LP 17 S66S2N	327	660	11	2502	175	48	Stahl, galv.	Stahl, galv.	
LP 30 D12S0C	327	1200	15,6	2521-01	135	48	Stahl, galv.	Stahl, galv.	
LP 30 D30S0C	327	300	3,9	2521	135	48	Stahl, galv.	Stahl, galv.	

Artikel	Nenn- Ø	Höhe	Filter m²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 30 D50S0C	327	500	6,5	2521	135	48	Stahl, galv.	Stahl, galv.	
LP 30 D60D2N	327	600	7,7	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 30 D60S2N	327	600	7,7	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 30 D66S0C	327	660	8,5536	2521-01	135	48	Stahl, galv.	Stahl, galv.	
LP 30 D66S0D	327	660	8,6	2523	135	48	Stahl, galv.	Stahl, galv.	
LP 30 D66S2G	327	660	8,6	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 30 D66S2N	327	660	8,5536	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S10S4N	327	1000	12,96	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S12S0C	327	1200	15,6	2521-01	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S12S0D	327	1200	15,6	2523	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S12S5G	327	1200	15,6	2501-01	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S12S5N	327	1200	15,552	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S60S0C	327	600	7,776	2521-01	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S60S0G	327	600	7,776	2501-01	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S60S0N	327	600	7,776	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S60S2N	327	600	7,776	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S66S0C	327	660	8,6	2521-01	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S66S2G	327	660	8,6	2501-01	135	48	Stahl, galv.	Stahl, galv.	
LP 30 S66S2N	327	660	8,6	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 31 M50N0C	145	500	1,5	2521-01	60	25	Aluminium	ohne	
LP 31 M50N0N	145	500	1,5	2504	60	25	Aluminium	ohne	
LP 40 S40S1N	200	400	2,044	2502	73	35	Stahl, galv.	Stahl, galv.	
LP 49 S30N0N		300	8,9	2502	312	48	Stahl, galv.	ohne	
LP 90 S12S5G		1200	15,552	2501-01	135	48	Stahl, galv.	Stahl, galv.	
LP 90 S12S5N		1200	15,552	2502	135	48	Stahl, galv.	Stahl, galv.	
LP 120 S45S1002	120	450	1	2502		25	Stahl, galv.	Stahl, galv.	
LP 120 S90S2002	120	900	2	2502	42	25	Stahl, galv.	Stahl, galv.	Airmaster
LP 145 F12A4320	145	1200	4,3	2502	72	25	PA, ohne Haken	separat	
LP 145 F60A1602	145	600	1,6	2502	54	25	PA, ohne Haken	separat	
LP 145 G10A2701	145	1000	2,7	2501-01	54	25	PA, 3 Haken	separat	LP32 W10N4G
LP 145 G10A2702	145	1000	2,7	2502	54	25	PA, 3 Haken	separat	LP32 W10N4N
LP 145 G10A2709	145	1000	2,7	2509-01	54	25	PA, 3 Haken	separat	
LP 145 G10A2719	145	1000	2,7	2519-01	54	25	PA, 3 Haken	separat	LP42 W10N4G N138
LP 145 G10A2720	145	1000	2,7	2520	54	25	PA, 3 Haken	separat	LP42 W10N4N
LP 145 G10A3601	145	1000	3,6	2501-01	72	25	PA, 3 Haken	separat	LP33 W10N4G
LP 145 G10A3602	145	1000	3,6	2502	72	25	PA, 3 Haken	separat	LP33 W10N4N
LP 145 G10A3607	145	1000	3,6	2507	72	45			
LP 145 G10A3608	145								
LP 145 G1AA3609	145								
LP 145 G10S2721	145	1000	2,7	2521-01	54	25	PA, 3 Haken	Stahl, galv.	LP32 W10K0C
LP 145 G10S3621	145	1000	3,6	2521-01	72	25	PA, 3 Haken	Stahl, galv.	LP33 W10K0C
LP 145 G12A3201	145	1200	3,24	2501-01	54	25	PA, 3 Haken	separat	LP32 W12N5G
LP 145 G12A3202	145	1200	3,24	2502	54	25	PA, 3 Haken	separat	LP32 W12N5N
LP 145 G12A3219	145	1200	3,24	2519-01	54	25	PA, 3 Haken	separat	LP42 W12N5G
LP 145 G12A3220	145	1200	3,24	2520	54	25	PA, 3 Haken	separat	LP42 W12N5N
LP 145 G12A4301	145	1200	4,32	2501-01	72	25	PA, 3 Haken	separat	LP33 W12N5G
LP 145 G12A4302	145	1200	4,32	2502	72	25	PA, 3 Haken	separat	LP33 W12N5N
LP 145 G12A4302 GG	145	1200	4,3	2502	72	25	PA, 3 Haken	separat	
LP 145 G12A4307	145	1200	4,3	2507	72	25	PA, 3 Haken	separat	
LP 145 G12A4308	145	1200	4,3	2508-01	72	25	PA, 3 Haken	separat	

Artikel	Nenn- Ø	Höhe	Filter m²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 145 G12A4309	145	1200	4,32	2509-01	72	25	PA, 3 Haken	separat	LP20 W12N5N
LP 145 G12A4320	145	1200	4,32	2520	72	25	PA, 3 Haken	separat	LP43 W12N5N
LP 145 G12C3221	145	1200	3,2	2521					
LP 145 G12S4321	145	1200	4,32	2521-01	72	25	PA, 3 Haken	Stahl, galv.	LP33 W12K0C
LP 145 G12S3221	145	1200	3,24	2521-01	54	25	PA, 3 Haken	Stahl, galv.	LP32 W12K0C
LP 145 G15A4001	145	1500	4	2501-01	54	25	PA, 3 Haken	separat	
LP 145 G15A4002	145	1500	4	2502	54	25	PA, 3 Haken	separat	LP32 W15K6N
LP 145 G15A5401	145	1500	5,4	2501-01	72	25	PA, 3 Haken	separat	LP33 W15N7G
LP 145 G15A5402	145	1500	5,4	2502	72	25	PA, 3 Haken	separat	LP33 W15N7N
LP 145 G15A5407	145	1500	5,4	2507	72	25	PA, 3 Haken	separat	
LP 145 G15A5409	145	1500	5,4	2509-01	72	25	PA, 3 Haken	separat	
LP 145 G15A5419	145	1500	5,4	2519-01	72	25	PA, 3 Haken	separat	
LP 145 G30B1001	145	300	1	2501-01	72	25	PA, 3 Haken	separat	LP33 W30N0G
LP 145 G30B1002	145	300	1	2502	72	25	PA, 3 Haken	separat	LP33 W30N0N
LP 145 G30B1020	145	300	1	2520	72	25	PA, 3 Haken	separat	
LP 145 G30B1021	145	300	1	2521-01	72	25	PA, 3 Haken	separat	
LP 145 G30B1023	145	300	1	2523	72	25	PA, 3 Haken	separat	
LP 145 G60A1601	145	600	1,6	2501-01	54	25	PA, 3 Haken	separat	
LP 145 G60A1602	145	600	1,6	2502	54	25	PA, 3 Haken	separat	LP32W60N2N
LP 145 G60A2101	145	600	2,1	2501-01	72	25	PA, 3 Haken	separat	LP33 W60N2G
LP 145 G60A2101 GG	145	600	2,1	2501-01	72	25	PA, 3 Haken	separat	
LP 145 G60A2102	145	600	2,1	2502	72	25	PA, 3 Haken	separat	LP33 W60N2N
LP 145 G60A2107	145	600	2,1	2507	72	25	PA, 3 Haken	separat	
LP 145 G60A2102 GG	145	600	2,1	2502	72	25	PA, 3 Haken	separat	
LP 145 G60A2120	145	600	2,1	2520	72	25	PA, 3 Haken	separat	
LP 145 G60B1621	145	600	1,6	2521-01	54	25	PA, 3 Haken	separat	
LP 145 G60B2101	145	600	2,1	2501-01	72	25	PA, 3 Haken	separat	
LP 145 G60B2121	145	600	2,1	2521-01	72	25	PA, 3 Haken	separat	LP33 W60N0C
LP 145 G60B2123	145	600	2,1	2523	72	25	PA, 3 Haken	separat	
LP 145 P60A2102	145	600	2,1	2502	72	25	PA, 3 Haken	separat	LP33 P60N2N
LP 145 P12A4301	145	1200	4,3	2501-01	72	25	PA, 3 Haken	separat	LP33 P12N5G
LP 145 P12A4302	145	1200	4,3	2502	72	25	PA, 3 Haken	separat	LP33 P12N5N
LP 145 P15A5401	145	1500	5,4	2501-01	72	25	PA, 3 Haken	separat	LP33 P15K6G
LP 145 P15A5402	145	1500	5,4	2502	72	25	PA, 3 Haken	separat	LP33 P15N7N
LP 150 D21B0802		215	0,8	2502	79	25	PS	ohne	
LP 152 B10A3602		1000	3,6	2502	72	25	Schnapping	separat	
LP 152 B12A4302		1200	4,3	2502	72	25	Schnapping	separat	
LP 152 B12A4309	145	1200	4,3	2509-01	72	25	Schnapping	separat	
LP 152 B15A2520		1500	2,5	2520	34	25	Schnapping	separat	
LP 152 B15A3202		1500	3,2	2502		25	Schnapping	separat	
LP 152 B15A4002	145	1500	4	2502	54	25	Schnapping	separat	
LP 152 B15A5402	145	1500	5,4	2502	72	25	Schnapping	separat	
LP 152 B15A5407									
LP 152 B15A5409		1500	5,4	2509-01	72	25	Schnapping	separat	
LP 152 B20c7209	145	2000	7,2	2509-01					
LP 152 B60A2102		600	2,1	2502	72	25	Schnapping	separat	
LP 155 B10A2720		1000	2,7	2520	54	25	Schnapping	separat	
LP 155 B12A3202		1200	3,2	2502	54	25	Schnapping	separat	
LP 155 B12A4302		1200	4,3	2502	72	25	Schnapping	separat	
LP 155 B15A5402		1500	5,4	2502	72	25	Schnapping	separat	

Artikel	Nenn- Ø	Höhe	Filter m ²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 155 B60A1602		600	1,6	2502	54	25	Schnapping	separat	
LP 156 G10A3602	156	1000	3,6	2502	72	25	PA, 3 Haken	separat	
LP 156 G12A4302	156	1200	4,3	2502	72	25	PA, 3 Haken	separat	
LP 156 G14A5001	156	1400	5	2501-01	72	25	PA, 3 Haken	separat	
LP 156 G14A5009	156	1400	5	2509-01	72	25	PA, 3 Haken	separat	
LP 156 G15A4002	156	1500	4	2502	54	25	PA, 3 Haken	separat	
LP 156 G15A5402	156	1400	5,4	2502	72	25	PA, 3 Haken	separat	
LP 156 G50A1801	156	500	1,8	2501-01	72	25	PA, 3 Haken	separat	
LP 156 G60B2108	156	600	2,1	2508-01	72	25	PA, 3 Haken	separat	
LP 185 E14A6602		1400	6,6	2502	94	25	PS	Stahl, galv.	Airmaster
LP 200 F57S2309		570	2,3	2509-01	58	35	PS	Stahl, galv.	DCE
LP 200 S40A2001		400	2	2501-01	73	35	Stahl, galv.	Stahl, galv.	
LP 200 S40A2007		400	2	2507	73	35	Stahl, galv.	Stahl, galv.	
LP 200 S40A2009		400	2	2509-01	73	35	Stahl, galv.	Stahl, galv.	
LP 218 G10A5001	218	1000	5	2501-01	79	32	PA, 3 Haken	separat	LP34 M10N4G
LP 218 G10A5002	218	1000	5	2502	79	32	PA, 3 Haken	separat	LP34 W10N4N
LP 218 G10A5008	218	1000	5	2508-01	79	32	PA, 3 Haken	separat	
LP 218 G10A5009	218	1000	5	2509-01	79	32	PA, 3 Haken	separat	LP38 W10N4N
LP 218 G10A5020	218	1000	5	2520	79	32	PA, 3 Haken	separat	LP44 W10N4N
LP 218 G10S5021	218	1000	5	2521-01	79	32	PA, 3 Haken	Stahl, galv.	
LP 218 G12A6001	218	1200	6	2501-01	79	32	PA, 3 Haken	separat	LP34 W12N5G
LP 218 G12A6002	218	1200	6	2502	79	32	PA, 3 Haken	separat	LP34 W12N5N
LP 218 G12A6007	218	1200	6	2507	79	32	PA, 3 Haken	separat	
LP 218 G12A6008	218	1200	6	2508-01	79	32	PA, 3 Haken	separat	
LP 218 G12A6009	218	1200	6	2509-01	79	32	PA, 3 Haken	separat	LP38 W12N5N
LP 218 G12A6020	218	1200	6	2520	79	32	PA, 3 Haken	separat	LP44 W12N5N
LP 218 G15A7508	218	1500	7,5	2508-01	79	32	PA, 3 Haken	separat	
LP 218 G15A7509	218	1500	7,5	2509-01	79	32	PA, 3 Haken	separat	LP38 W15N7N
LP 218 G15A7519	218	1500	7,5	2519-01	79	32	PA, 3 Haken	separat	
LP 218 G30B1501	218	300	1,5	2501-01	79	32	PA, 3 Haken	separat	
LP 218 G30B1502	218	300	1,5	2502	79	32	PA, 3 Haken	separat	LP34 W30N0N
LP 218 G30B1523	218	300	1,5	2523	79	32	PA, 3 Haken	separat	LP34 W30N0D
LP 218 G50A2501	218	500	2,5	2501-01	79	32	PA, 3 Haken	separat	
LP 218 G50A2502	218	500	2,5	2502	79	32	PA, 3 Haken	separat	
LP 218 G50B2523	218	500	2,5	2523	79	32	PA, 3 Haken	separat	
LP 218 G60A3001	218	600	3,0336	2501-01	79	32	PA, 3 Haken	separat	
LP 218 G60A3002	218	600	3,0336	2502	79	32	PA, 3 Haken	separat	LP34 W60N2N
LP 218 G60A3008	218	600	3,0336	2508-01	79	32	PA, 3 Haken	separat	
LP 218 G60A3009	218	600	3,0336	2509-01	79	32	PA, 3 Haken	separat	
LP 218 G60A3020	218								
LP 218 G60B3021	218	600	3,0336	2521-01	79	32	PA, 3 Haken	separat	LP34W60N0C
LP 218 H10A5001	218	1000	5	2501-01	79	32	PA, 4 Haken	separat	
LP 218 H10A5002	218	1000	5	2502	79	32	PA, 4 Haken	separat	
LP 218 H10A5008	218	1000	5	2508-01	79	32	PA, 4 Haken	separat	
LP 218 H10A5009	218	1000	5	2509-01	79	32	PA, 4 Haken	separat	LP38 W10N4N
LP 218 H10A5020	218	1000	5	2520	79	32	PA, 4 Haken	separat	
LP 218 H12A6001	218	1200	6	2501-01	79	32	PA, 4 Haken	separat	
LP 218 H12A6002	218	1200	6	2502	79	32	PA, 4 Haken	separat	LP34 W12N5N
LP 218 H12A6008	218	1200	6	2508-01	79	32	PA, 4 Haken	separat	
LP 218 H12A6009	218	1200	6	2509-01	79	32	PA, 4 Haken	separat	LP38 W12N5N

Artikel	Nenn- Ø	Höhe	Filter m ²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 218 H12A6020	218	1200	6	2520	79	32	PA, 4 Haken	separat	
LP 218 H12S6021	218	1200	6	2521-01	79	32	PA, 4 Haken	galvanisiert	
LP 218 H15A7509	218	1500	7,5	2509-01	79	32	PA, 4 Haken	separat	
LP 218 H30B2402	218	300	2,4	2502	126	32	PA, 4 Haken	separat	
LP 218 H60A3001	218	600	3	2501-01	79	32	PA, 4 Haken	separat	
LP 218 H60A3002	218	600	3	2502	79	32	PA, 4 Haken	separat	LP34 W60N2N
LP 218 H60A3008	218	600	3	2508-01	79	32	PA, 4 Haken	separat	
LP 218 H60A3009	218	600	3	2509-01	79	32	PA, 4 Haken	separat	LP38 W60N2N
LP 218 H60B3021	218	600	3	2521-01	79	32	PA, 4 Haken	separat	
LP 218 H75A3802	218	750	3,8	2502	79	32	PA, 4 Haken	separat	
LP 304 E10A1202		1000	11,9	2502	135	44	PS	separat, kundenseitig	LP 28P10N4N
LP 304 E12A1809		1200	18,4	2509-01	160	48	PS	separat, kundenseitig	
LP 304 F12A1809		1200	18,4	2509-01	160	44	PS, mit O-Ring	separat	
LP 324 F15A1902	324	1500	19,4	2502	135	48	PA ohne Haken	separat	
LP 324 G10A1301	324	1000	12,96	2501-01	135	48	PA, 3 Haken	separat	
LP 324 G10A1302	324	1000	12,96	2502	135	48	PA, 3 Haken	separat	LP30 W10N4N
LP 324 G10A1307	324	1000	13	2507	135	48	PA, 3 Haken	separat	
LP 324 G10A1308	324	1000	12,96	2508-01	135	48	PA, 3 Haken	separat	
LP 324 G10A1309	324	1000	12,96	2509-01	135	48	PA, 3 Haken	separat	LP01 W10N4N
LP 324 G10A1602	324	1000	16,7	2502	175	48	PA, 3 Haken	separat	
LP 324 G10A1608	324	1000	16,7	2508-01	175	48	PA, 3 Haken	separat	
LP 324 G10A1609	324	1000	16,7	2509-01	175	48	PA, 3 Haken	separat	LP02 W10N4N
LP 324 G10A1620	324	1000	16,7	2520	175	48	PA, 3 Haken	separat	
LP 324 G10S1323	324	1000	13	2523	135	48	PA, 3 Haken	separat	
LP 324 G12A1002	324	1200	10,022	2502	87	48	PA, 3 Haken	separat	LP14 W12N5N
LP 324 G12A1501	324	1200	15,552	2501-01	135	48	PA, 3 Haken	separat	LP30 W12N5G
LP 324 G12A1502	324	1200	15,552	2502	135	48	PA, 3 Haken	separat	LP30 W12N5N
LP 324 G12A1507	324	1200	15,552	2507	135	48	PA, 3 Haken	separat	
LP 324 G12A1508	324	1200	15,552	2508-01	135	48	PA, 3 Haken	separat	
LP 324 G12A1509	324	1200	15,552	2509-01	135	48	PA, 3 Haken	separat	LP01 W12N5N
LP 324 G12A1519	324	1200	15,552	2519-01	135	48	PA, 3 Haken	separat	
LP 324 G12A1520	324	1200	15,552	2520	135	48	PA, 3 Haken	separat	LP11 W12N5N
LP 324 G12A2001	324	1200	20	2501-01	175	48	PA, 3 Haken	separat	LP17 W12N5G
LP 324 G12A2002	324	1200	20	2502	175	48	PA, 3 Haken	separat	
LP 324 G12A2007	324	1200	20	2507	175	48	PA, 3 Haken	separat	
LP 324 G12A2008	324	1200	20	2508-01	175	48	PA, 3 Haken	separat	
LP 324 G12A2009	324	1200	20	2509-01	175	48	PA, 3 Haken	separat	LP02 W12N5N
LP 324 G12A2019	324	1200	20	2519-01	175	48	PA, 3 Haken	separat	
LP 324 G12A2507	324	1200	25	2507	217	48	PA, 3 Haken	separat	
LP 324 G12B2002	324	1206	20	2502	175	48	PA, 3 Haken	separat	LP17 W12N0N
LP 324 G12R1001	324	1200	10	2501-01					
LP 324 G12S1021	324	1200	10	2521-01	91	46	PA, 3 Haken	Stahl, galv.	
LP 324 G12A1519	324	1200	15,6	2519-01	135	48	PA, 3 Haken	Stahl, galv.	
LP 324 G12S1521	324	1200	15,5	2521-01	135	48	PA, 3 Haken	Stahl, galv.	LP30 W12N0C
LP 324 G12S1523	324	1200	15,5	2523	135	48	PA, 3 Haken	Stahl, galv.	
LP 324 G12S2021	324	1200	20	2521-01	181	46	PA, 3 Haken	Stahl, galv.	
LP 324 G14S2307	324	1400	23,5	2507	175	48	PA, 3 Haken	Stahl, galv.	
LP 324 G14A2309	324	1400	23,5	2509-01	175	48	PA, 3 Haken	separat	
LP 324 G15A1202	324	1500	12,5	2502	87	48	PA, 3 Haken	separat	
LP 324 G15A1901	324	1500	19,4	2501-01	135	48	PA, 3 Haken	separat	

Artikel	Nenn- Ø	Höhe	Filter m ²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 324 G15A1902	324	1500	19,4	2502	135	48	PA, 3 Haken	separat	LP30 W15N7N
LP 324 G15A1907	324	1500		2507					
LP 324 G15A1908	324	1500	19,4	2508-01	135	48	PA, 3 Haken	separat	
LP 324 G15A1909	324	1500	19,4	2509-01	135	48	PA, 3 Haken	separat	LP01 W15N7N
LP 324 G15A1920	324	1500	19,4	2520	135	48	PA, 3 Haken	separat	
LP 324 G15A2509	324	1500	25,2	2509-01	175	48	PA, 3 Haken	separat	
LP 324 G30B3801	324	300	3,8	2501-01	135	48	PA, 3 Haken	separat	LP30W30N0G
LP 324 G30B3802	324	300	3,8	2502	135	48	PA, 3 Haken	separat	LP30W30N0N
LP 324 G30B3823	324	306	3,8	2523	135	48	PA, 3 Haken	separat	
LP 324 G60A1001	324	600	10	2501-01	175	48	PA, 3 Haken	separat	
LP 324 G60A1008	324	600	10	2508-01	175	48	PA, 3 Haken	separat	
LP 324 G60A1009	324	600	10	2509-01	175	48	PA, 3 Haken	separat	LP02 W60N2N
LP 324 G60A7701	324	600	7,7	2501-01	135	48	PA, 3 Haken	separat	LP30 W60N2G
LP 324 G60A7702	324	600	7,7	2502	135	48	PA, 3 Haken	separat	LP30 W60N2N
LP 324 G60A7707	324	600	7,7	2507	135	48	PA, 3 Haken	separat	
LP 324 G60A7708	324	600	7,7	2508-01	135	48	PA, 3 Haken	separat	
LP 324 G60A7709	324	600	7,7	2509-01	135	48	PA, 3 Haken	separat	LP01 W60N2N
LP 324 G60B1002	324	600	10	2502	175	48	PA, 3 Haken	separat	
LP 324 G60B7721	324	600	7,7	2521-01	135	48	PA, 3 Haken	separat	
LP 324 G60S5021	324	600	5	2521-01	87	48	PA, 3 Haken	Stahl, galv.	
LP 324 G66A1109	324	660	11	2509-01	175	48	PA, 3 Haken	separat	LP02 W66N2N
LP 324 G66A8508	324	660	8,5	2508-01	135	48	PA, 3 Haken	separat	
LP 324 G66A8509	324	660	8,5	2509-01	135	48	PA, 3 Haken	separat	
LP 327 B12A2009		1200	20	2509-01	175	48	Bajonett	Stahl, galv.	
LP 327 D66B1107		600	11	2507	175	48	Stahl, galv.	Stahl, galv.	
LP 327 D66A1407		660	13,9	2507	220	48	2x Stahl, galv	Stahl, galv.	
LP 327 E66A8502		660	8,5	2502	135	48	PS	PP	
LP 327 S10S1321		1000	13	2521-01	135	48	Stahl, galv.	Stahl, galv.	
LP 327 S12A1507		1200	15,6	2507	135	48	Stahl, galv.	Stahl, galv.	
LP 327 S12A2007		1200	20	2507	175	48	Stahl, galv.	Stahl, galv.	
LP 327 S12A2507		1200	25,3	2507	220	48	Stahl, galv.	Stahl, galv.	
LP 327 S25A4009		250	4	2509-01	168	48	Stahl, galv.	Stahl, galv.	
LP 327 S60B1007		600	10	2507	175	48	Stahl, galv.	Stahl, galv.	
LP 327 S66A1407		660	13,9	2507	220	48	Stahl, galv.	Stahl, galv.	
LP 327 V65D8401		650	8,4	2501-01	135	48	V2A	V2A	
LP 360 E66A1202		660	11,7	2502	185	48	PS	Stahl, galv.	

Artikel	Nenn- Ø	Höhe	Filter m ²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 01 D60S2N	327	600	7,7	2509-01	135	48			
LP 01 S10S4G	327	1000	13	2508-01	135	48			
LP 01 S10S4N	327	1000	12,96	2509-01	135	48			
LP 01 S12S5N	327	1200	15,552	2509-01	135	48			
LP 01 S60S0N	327	600	7,7	2509-01	135	48			
LP 01 S60S2G	327	600	7,7	2508-01	135	48			
LP 01 S60S2N	327	600	7,7	2509-01	135	48			
LP 01 S66S2G	327	660	8,5	2508-01	135	48			
LP 01 S66S2N	327	660	8,5	2509-01	135	48			
LP 02 D60S0N	327	600	10	2509-01	175	48			
LP 02 D60S2N	327	600	10	2509-01	175	48			
LP 02 D66S2N	327	660	11	2509-01	175	48			
LP 02 I60S2G	327	600	10	2508-01	175	48			
LP 02 S10S4G	327	1000	16,8	2508-01	175	48			
LP 02 S10S4N	327	1000	16,8	2509-01	175	48			
LP 02 S12S0G	327	1200	20	2508-01	175	48			
LP 02 S12S0N	327	1200	20	2509-01	175	48			
LP 02 S12S5G	327	1200	20	2508-01	175	48			
LP 02 S12S5N	327	1200	20	2509-01	175	48			
LP 02 S30S0N	327	300	5	2509-01	135	48			
LP 02 S60S0G	327	600	10	2508-01	175	48			
LP 02 S60S0N	327	600	10	2509-01	175	48			
LP 02 S60S2G	327	600	10	2508-01	175	48			
LP 02 S60S2N	327	600	10	2509-01	175	48			
LP 02 S66S2G	327	660	11	2508-01	175	48			
LP 02 S66S2N	327	660	11	2509-01	175	48			
LP 02 S76S2N	327	765	12,7	2509-01	175	48			
LP 12 D66S2N	327	660	11	2520	175	48			
LP 17 S60S0C	327	600	10	2521-01	175	48			
LP 17 S60S0D	327	600	10	2523-01	175	48			
LP 17 S90S0D	327	900	15,1	2523-01	175	48			
LP 27 S51S0G	450	510	15	2501-01					
LP 27 S51S0N	450	510	15	2502					
LP 30 S12S0C	327	1200	15,6	2521-01	175	48			
LP 30 S12S0D	327	1200	15,6	2523-01	175	48			
LP 30 S60S0C	327	600	7,7	2521-01	135	48			
LP 30 S60S0G	327	600	7,7	2501-01	135	48			
LP 30 S60S0N	327	600	7,7	2502	135	48			
LP 49 S30N0N	503	300	8,9	2502					
LP 90 S12S5G	327	1200	15,6	2501-01	175	48			
LP 90 S12S6N	327	1200	15,6	2502	175	48			
LP 120 S45S1007	120	450	1	2507					
LP 120 S90S2007	120	900	2	2507					
LP 145 F10F3607	145	1000	3,6	2507	75	25			
LP 145 F12A4320	145	1200	4,3	2520	75	25			
LP 145 F12F3207	145	1200	3,2	2507	75	25			
LP 145 F60B1621	145	600	1,6	2521-01	54				
LP 145 G10A2706	145	1000	2,7	2506-01	75	25			
LP 145 G10A2707	145	1000	2,7	2502	75	25			
LP 145 G10A3606	145	1000	3,6	2506-01	75	25			
LP 145 G10A3607	145	1000	3,6	2507	75	25			
LP 145 G10S2723	145	1000	2,7	2523-01	75	25			
LP 145 G10S3623	145	1000	3,6	2523-01	75	25			
LP 145 G11A4107	145	1150	4,1	2507	75	25			
LP 145 G12A3206	145	1200	3,2	2506-01	75	25			

Artikel	Nenn- Ø	Höhe	Filter m²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 145 G12A3207	145	1200	3,2	2507	75	25			
LP 145 G12A3219	145	1200	3,24	2519-01	75	25			
LP 145 G12A3220	145	1200	3,24	2520	75	25			
LP 145 G12A4306	145	1200	4,3	2506-01	75	25			
LP 145 G12A4307	145	1200	4,3	2507	75	25			
LP 145G12A4309	145	1200	4,32	2509-01	75	25			
LP 145 G12A4320	145	1200	4,32	2520	75	25			
LP 145 G12A5406	145	1200	5,4	2506-01	75	25			
LP 145 G12A5407	145	1200	5,4	2507	75	25			
LP 145 G12P3223	145	1200	3,2	2523-01	75	25			
LP 145 G12S3221	145	1200	3,24	2521-01	75	25			
LP 145 G15A4006	145	1500	4	2506-01	75	25			
LP 145 G15A4007	145	1500	4	2507	75	25			
LP 145 G15A4019	145	1500	4	2519-01	75	25			
LP 145 G15A4020	145	1500	4	2520	75	25			
LP 145 G15A5406	145	1500	5,4	2506-01	75	25			
LP 145 G15A5407	145	1500	5,4	2507	75	25			
LP 145 G15A5409	145	1500	5,4	2509-01	75	25			
LP 145 G15A5419	145	1500	5,4	2519-01	75	25			
LP 145 G15A6706	145	1500	6,7	2506-01	72	25			
LP 145 G15A6707	145	1500	6,7	2507	72	25			
LP 145 G15P4023	145	1500	4	2523-01	75	25			
LP 145 G30B1006	145	300	1	2506-01	54	25			
LP 145 G30B1007	145	300	1	2507	54	25			
LP 145 G30B1020	145	300	1	2520	54	25			
LP 145 G30B1023	145	300	1	2523-01	54	25			
LP 145 G50A1807	145	500	1,8	2507	54	25			
LP 145 G60A2106	145	600	2,1	2506-01	72	25			
LP 145 G60A2107	145	600	2,1	2507	72	25			
LP 145 G60A2120	145	600	2,1	2520	72	25			
LP 145 G60A2706	145	600	2,7	2506-01	72	25			
LP 145 G60A2707	145	600	2,7	2507	72	25			
LP 145 G60B2121	145	600	2,1	2521-01	72	25			
LP 145 G60B2123	145	600	2,1	2523-01	72	25			
LP 145 G60V2706	145	600	2,7	2506-01	72	25			
LP 145 H11A4107	145	1150	4,1	2507	75	25			
LP 145 M50B1509	145	500	1,5	2509-01	54	25			
LP 145 P12A4306	145	1200	4,3	2506-01	75	25			
LP 145 P12A4307	145	1200	4,3	2507	75	25			
LP 145 P12A5407	145	1200	5,4	2507	75	25			
LP 145 P15A5406	145	1500	5,4	2506-01	75	25			
LP 145 P15A5407	145	1500	5,4	2507	75	25			
LP 145 P15A6706	145	1500	6,7	2506-01	75	25			
LP 145 P15A6707	145	1500	6,7	2507	75	25			
LP 145 P60A2106	145	600	2,1	2506-01	72	25			
LP 145 P60A2107	145	600	2,1	2507	72	25			
LP 145 P60A2706	145	600	2,7	2506-01	72	25			
LP 145 P60A2707	145	600	2,7	2507	72	25			
LP 152 B10A2707	145	1000	2,7	2507	75	25			
LP 152 B10A2720	145	1000	2,7	2520	75	25			
LP 152 B12A4307	145	1200	4,3	2507	75	25			
LP 152 B12A4308	145	1200	4,3	2508-01	75	25			
LP 152 B12A4309	145	1200	4,3	2509-01	75	25			
LP 152 B15A2519	145	1500	2,5	2519-01	75	25			
LP 152 B15A5407	145	1500	5,4	2507	75	25			
LP 152 B15A5409	145	1500	5,4	2509-01	75	25			

Artikel	Nenn- Ø	Höhe	Filter m²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 152 B15A6707	145	1500	6,7	2507	75	25			
LP 152 B60A2108	145	600	2,1	2508-01	72	25			
LP 152 B60A2109	145	600	2,1	2509-01	72	25			
LP 152 B60B2121	145	600	2,1	2521-01	72	25			
LP 155 B10A2707	145	1000	2,7	2502	75	25			
LP 155 B10A3607	145	1000	3,6	2507	75	25			
LP 155 B10G2720	145	1000	2,7	2520	75	25			
LP 155 B12G3220	145	1200	3,2	2520	75	25			
LP 155 B15A5407	145	1500	5,4	2507	75	25			
LP 155 B30B1306	145	300	1,3	2506-01	72	25			
LP 155 B60A1620	145	600	1,6	2520	72	25			
LP 155 B60A2106	145	600	2,1	2506-01	72	25			
LP 156 G10A3606	156	1000	3,6	2506-01	72	25			
LP 156 G12A4307	156	1200	4,3	2507	54	25			
LP 156 G15A4020	156	1500	4	2520	72	25			
LP 156 G15A5406	156	1500	5,4	2506-01	72	25			
LP 156 G50A1806	156	500	1,8	2506-01	72	25			
LP 156 G60B2108	156	600	2,1	2508-01	72	25			
LP 200 F10E4409GG	200	1000	4,5	2509-01					
LP 200 F10E4508	200	1000	4,5	2508-01					
LP 200 F30F1207	200	305	1,2	2507					
LP 200 F57E2309	200	570	2,3	2509-01					
LP 200 F57S2309	200	570	2,3	2509-01					
LP 200 S40A2007	200	400	2	2507					
LP 218 G10A5006	218	1000	5	2506-01	79	32			
LP 218 G10A5007	218	1000	5	2507	79	32			
LP 218 G10A5008	218	1000	5	2508-01	79	32			
LP 218 G10A5009	218	1000	5	2509-01	79	32			
LP 218 G10A5019	218	1000	5	2519-01	79	32			
LP 218 G10A5020	218	1000	5	2520	79	32			
LP 218 G10A8306	218	1000	8,3	2506-01	79	32			
LP 218 G10A8307	218	1000	8,3	2507	79	32			
LP 218 G12A6006	218	1200	6	2506-01	79	32			
LP 218 G12A6007	218	1200	6	2507	79	32			
LP 218 G12A6008	218	1200	6	2508-01	79	32			
LP 218 G12A6009	218	1200	6	2509-01	79	32			
LP 218 G12A6020	218	1200	6	2520	79	32			
LP 218 G12S6021	218	1200	6	2521-01	79	32			
LP 218 G15A1207	218	1500	12,5	2507	79	32			
LP 218 G15A7506	218	1500	7,5	2506-01	79	32			
LP 218 G15A7507	218	1500	7,5	2507	79	32			
LP 218 G15A7508	218	1500	7,5	2508-01	79	32			
LP 218 G15A7509	218	1500	7,5	2509-01	79	32			
LP 218 G15A7520	218	1500	7,5	2520	79	32			
LP 218 G30B1507	218	300	1,5	2507	79	32			
LP 218 G50A2506	218	500	2,5	2506-01	79	32			
LP 218 G60A3007	218	600	3,0336	2507	79	32			
LP 218 G60A3008	218	600	3,0336	2508-01	79	32			
LP 218 G60A3009	218	600	3,0336	2509-01	79	32			
LP 218 G60A5007	218	600	5	2507	79	32			
LP 218 H10A5006	218	1000	5	2506-01	79	32			
LP 218 H10A5007	218	1000	5	2507	79	32			
LP 218 H10A5008	218	1000	5	2508-01	79	32			
LP 218 H10A5009	218	1000	5	2509-01	79	32			
LP 218 H12A1007	218	1200	10	2507	79	32			
LP 218 H12A6007	218	1200	6	2507	79	32			

Artikel	Nenn- Ø	Höhe	Filter m ²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 218 H12A6008	218	1200	6	2508-01	79	32			
LP 218 H12A6009	218	1200	6	2509-01	79	32			
LP 218 H12A6020	218	1200	6	2520	79	32			
LP 218 H15A7508	218	1500	7,5	2508-01	79	32			
LP 218 H15A7509	218	1500	7,5	2509-01	79	32			
LP 218 H30B2407	218	300	2,4	2507	79	32			
LP 218 H50A2520	218	500	2,5	2520	79	32			
LP 218 H60A3007	218	600	3	2507	79	32			
LP 218 H60A3008	218	600	3	2508-01	79	32			
LP 218 H60A3009	218	600	3	2509-01	79	32			
LP 218 H68B3421	218	680	3,4	2521-01	79	32			
LP 218 H75A3807	218	750	3,7	2507	79	32			
LP 304 E10A1207	304	1000	11,9	2507					
LP 304 E12A1809	304	1200	18,4	2509-01					
LP 324 F12A2007	324	1200	20	2507	175	48			
LP 324 F15A1907	324	1200	19,4	2507	175	48			
LP 324 G10A1306	324	1000	13	2506-01	135	48			
LP 324 G10A1307	324	1000	13	2507	135	48			
LP 324 G10A1308	324	1000	12,96	2508-01	135	48			
LP 324 G10A1309	324	1000	12,96	2509-01	135	48			
LP 324 G10A1606	324	1000	16,7	2506-01	135	48			
LP 324 G10A1607	324	1000	16,7	2507	135	48			
LP 324 G10A1608	324	1000	16,7	2508-01	135	48			
LP 324 G10A1609	324	1000	16,7	2509-01	135	48			
LP 324 G10A2106	324	1000	21,1	2506-01	135	48			
LP 324 G10A2107	324	1000	21,1	2507	135	48			
LP 324 G12A1007	324	1200	10	2507	135	48			
LP 324 G12A1506	324	1200	15,6	2506-01	135	48			
LP 324 G12A1507	324	1200	15,552	2507	175	48			
LP 324 G12A1508	324	1200	15,552	2508-01	175	48			
LP 324 G12A1509	324	1200	15,552	2509-01	175	48			
LP 324 G12A1520	324	1200	15,552	2520	135	48			
LP 324 G12A2006	324	1200	20	2506-01	135	48			
LP 324 G12A2007	324	1200	20	2507	135	48			
LP 324 G12A2008	324	1200	20	2508-01	135	48			
LP 324 G12A2009	324	1200	20	2509-01	135	48			
LP 324 G12A2507	324	1200	25,2	2507	135	48			
LP 324 G12B1519	324	1200	15	2519-01	135	48			
LP 324 G12X2006	327	1200	20	2506-01	135	48			
LP 324 G12S1021	393								
LP 324 G14S2307	324	1400	23,5	2507	175	48			
LP 324 G15A1907	324	1500	19,4	2507	135	48			
LP 324 G15A1909	324	1500	19,4	2509-01	135	48			
LP 324 G15A1920	324	1500	19,4	2520	135	48			
LP 324 G15A2506	324	1500	25,2	2506-01	135	48			
LP 324 G15A2507	324	1500	25,2	2507	135	48			
LP 324 G15A2509	324	1500	25,2	2509-01	135	48			
LP 324 G15A3107	324	1500	31,7	2507	220	48			
LP 324 G30B3819	324	300	3,8	2519-01	135	48			
LP 324 G50B6421	324	500	6,5	2521-01	135	48			
LP 324 G60A1007	324	600	10	2507	175	48			
LP 324 G60A1008	324	600	10	2508-01	175	48			
LP 324 G60A1009	324	600	10	2509-01	175	48			
LP 324 G60A1207	324	600	12,6	2507	220	48			
LP 324 G60A7706	324	600	7,7	2506-01	135	48			
LP 324 G60A7707	324	600	7,7	2507	135	48			

Artikel	Nenn- Ø	Höhe	Filter m²	Filter media	Falten- zahl	F-Tiefe mm	Deckel	Stützkorb	ersetzt
LP 324 G60A7708	324	600	7,7	2508-01	135	48			
LP 324 G60A7709	324	600	7,7	2509-01	135	48			
LP 324 G60B7721	324	600	7,7	2521-01	135	48			
LP 324 G66A1406	324	660	14	2506-01	220	48			
LP 324 M12A1507	324	1200	15,6	2507	175	48			
LP 324 M15A1907	324	1500	19,4	2507	135	48			
LP 324 M15A1920	324	1500	19,4	2520	135	48			
LP 324 M15B1223	324	1500	12	2523-01	135	48			
LP 324 Y66A1107	324	660	11	2507	175	48			
LP 327 B12A2009	327	1200	20	2509-01	175	48			
LP 327 B60A1009	327	600	10	2509-01	175	48			
LP 327 B60A1207	327	600	12	2507	220	48			
LP 327 D60A1007	327	600	10	2507	175	48			
LP 327 D60B1207	327	600	12,7	2507	220	48			
LP 327 D60V7723	327	600	7,7	2523-01	135	48			
LP 327 D60D1007	327	600	10	2507	175	48			
LP 327 D66A1407	327	660	13,9	2507	175	48			
LP 327 D66A8507	327	660	8,5	2507	135	48			
LP 327 D66B1406	327	660	11	2506-01	220	48			
LP 327 E66A8507	327	660	8,5	2507	135	48			
LP 327 S10A1307	327	1000	13	2507	135	48			
LP 327 S10A1606	327	1000	16,8	2506-01	175	48			
LP 327 S10A1607	327	1000	16,8	2507	175	48			
LP 327 S10A2107	327	1000	21,1	2507	220	48			
LP 327 S12A1007	327	1200	10	2507	87	48			
LP 327 S12A1009	327	1200	10	2509-01	87	48			
LP 327 S12A1506	327	1200	15,6	2506-01	135	48			
LP 327 S12A1507	327	1200	15,6	2507	135	48			
LP 327 S12A2006	327	1200	20	2506-01	175	48			
LP 327 S12A2007	327	1200	20	2507	175	48			
LP 327 S12A2507	327	1200	25,2	2507	220	48			
LP 327 S12B1507	327	1200	15,6	2507	135	48			
LP 327 S12B2006	327	1200	20	2506-01	175	48			
LP 327 S12B2007	327	1200	20	2507	175	48			
LP 327 S12B2507	327	1200	25	2507	220	48			
LP 327 S30B6307	327	300	6,3	2507	220	48			
LP 327 S40B5107	327	400	5,1	2507	135	48			
LP 327 S60A1006	327	600	10	2506-01	175	48			
LP 327 S60A1007	327	600	10	2507	175	48			
LP 327 S60A1206	327	600	12,7	2506-01	220	48			
LP 327 S60A1207	327	600	12,7	2507	220	48			
LP 327 S60A7707	327	600	7,7	2507	135	48			
LP 327 S60B1007	327	600	10	2507	175	48			
LP 327 S60B1207	327	600	12	2507	220	48			
LP 327 S60B7706	327	600	7,7	2506-01	135	48			
LP 327 S60B7707	327	600	7,7	2507	135	48			
LP 327 S60V7723	327	600	7,7	2523-01	135	48			
LP 327 S66A1106	327	660	11	2506-01	175	48			
LP 327 S66A1107	327	660	11	2507	175	48			
LP 327 S66A1407	327	660	13,9	2507	220	48			
LP 327 S66A8507	327	660	8,5	2507	135	48			
LP 327 S66B1406	327	660	11	2506-01	220	48			
LP 327 S76A1207	327	765	12,6	2507	175	48			
LP 351 E12Y2807	351	1200	28,8	2507	250	48			
LP 351 E66A1507	351	660	15,8	2507	240	48			
LP 360 E66A1207	360	660	11,7	2507	185	48			